updahl

# Freeform Search

US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database Database: EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins

Term:

(drill\$3 tool or well bore tool or wellbore tool or downhole tool or down hole tool) and (heat sink) and (heat exchanger)

Documents in Display Format: -

Starting with Number 1

Generate: O Hit List O Hit Count O Side by Side O Image

Search Clear Interrupt

# Search History

DATE: Thursday, April 14, 2005 Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=B	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=ADJ		
<u>L17</u>	(drill\$3 tool or well bore tool or wellbore tool or downhole tool or downhole tool) and (heat sink) and (heat exchanger)	10	<u>L17</u>
<u>L16</u>	(drill\$3 tool or well bore tool or down hole tool) and (heat sink) and (heat exchanger)	7	<u>L16</u>
<u>L15</u>	(drill\$3 tool) and (heat sink) and (heat exchanger)	5	<u>L15</u>
<u>L14</u>	L12 and "heat sink"	8	<u>L14</u>
<u>L13</u>	L12 and "heat exchanger"	1	<u>L13</u>
<u>L12</u>	(drill tool) same (cool\$3)	163	<u>L12</u>
<u>L11</u>	drill tool cooling	2	<u>L11</u>
<u>L10</u>	L8 and (drill toll cooling)	0	<u>L10</u>
<u>L9</u>	L8 and (heat sink or heat storage)	13	<u>L9</u>
<u>L8</u>	L5 and "heat exchanger"	338	<u>L8</u>
<u>L7</u>	L6 and "heat exchanger"	3	<u>L7</u>
<u>L6</u>	(down hole or well bore) and (thermal component or integrated circuit or thermal chip or thermal element)	342	<u>L6</u>

<u>L5</u>	(down hole or well bore) and (temperature sensor or temperature probe or thermal sensor or thermal probe or tool)	17355	<u>L5</u>
<u>L4</u>	L3 and (integrat\$3 temperature)	1	<u>L4</u>
<u>L3</u>	(down hole tool or well bore) and (temperature sensor or temperature probe or thermal sensor or thermal probe)	521	<u>L3</u>
<u>L2</u>	(down hole tool or well bore) same (integrated temperature sensor)	0	<u>L2</u>
<u>L1</u>	(down hole tool or well bore tool) same (temperature sensor)	8	<u>L1</u>

# END OF SEARCH HISTORY

# Freeform Search

US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins		
7	parallel\$2 heat exchangers or heat exchangers  [Perm: parallel\$2	
I	Display: 10 Documents in <u>Display Format</u> : - Starting with Number 1	
(	Generate: O Hit List O Hit Count O Side by Side O Image	
	Search Clear Interrupt	
**********	Search History	······
DATE	: Friday, April 15, 2005 Printable Copy Create Case	
Set Name side by side	Query	<u>]</u> <u>C</u> (
	=USPT; PLUR=YES; OP=ADJ	
<u>L27</u>	parallel\$2 heat exchangers or heat exchangers parallel\$2	
DB	=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ	
	L24 and (L15)	
	L24 and (L16)	1
	parallel\$2 heat exchangers or heat exchangers parallel\$2	J
	heat exchangers paralell\$2 L20 and (down\$1hole or bore\$1hole or well\$1bore)	
	L20 and (L16)	
	parallel\$2 heat exchangers or serial\$2 heat exchangers	
	=PGPB,USPT,USOC,EPAB,JPAB; PLUR=YES; OP=ADJ	
	L18 and (tool or thermal component or circuit\$2 or thermal element or electronics)	
	L17 and (coolant or cooling)	
<u>L17</u>	L16 and (heat exchanger\$1 or heat sink or pump)	
<u>L16</u>	L15 and (bore\$1hole or well\$1bore or down\$1hole or formation)	
	(374/140,141,4,5,137,136;702/130;250/253;62/3,7;165/104.11,104.21;73/154,152.01;152.	33)!

6

L15 [CCLS]

DB=USPT; PLUR=YES; OP=ADJ

L14 5165243.pn.

DB=PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=ADJ

- L13 L3 and (microcapillary or micro-capillary)
- L12 (down hole or bore hole or well bore or borehole or wellbore or borehole) same (mini pump or micro pump or minipump or micropump)
- (down hole or bore hole or well bore or borehole or wellbore or borehole) same (microcapillary or microtube\$1)
- L10 L9 and (microcapullary or microtube\$1 or minipump or micropump)
- <u>L9</u> (cool\$3 borehole or cool\$3 downhole or cool\$3 wellbore)

DB=USPT; PLUR=YES; OP=ADJ

- L8 5701751.pn.
- L7 ROM volatile memory
- L6 (volatile memory) same (ROM)

DB=PGPB; PLUR=YES; OP=ADJ

- L5 L3 and (heat storage)
- L4 L3 and (heat sink or heat storage)
- <u>L3</u> 20040264543

DB=USPT: PLUR=YES; OP=ADJ

- L2 L1 and (heat sink or heat cell or heat storage)
- L1 5701751.pn.

. END OF SEARCH HISTORY

vacuum-guide.com - micro pumps mini pumps miniature pumps minipumps micropumps ... Page 1 of 4


CHackment # /

www.vacuum-guide.com

mini & micro vacuum pumps / Mini- & Mikrovakuumpumpen / mini- et micropompes à vide

04/14/2005


supplier1 supplier2 >>get my Logo here...



KNF Neuberger GmbH - <u>www.knf.com</u> - Alter Weg 3, 79112 Freiburg, <u>Germany</u> Tel. +49 (7664) 5909-0, Fax +49 (7664) 2124 products:

Diaphragm pumps used in the chemical and process engineering sectors, instrumental devices, medical technology and in the laboratory.

Micro Pumps (0:25 to 4 LPM), Mini Pumps (4 to 15 LPM) High Capacity Pumps (17 to Pumps (9 to 64 LPM), Explosion Proof (17 to 56 LPM)



Charles Austen Pumps Ltd. - Royston Road, Byfleet, Surrey, KT14 7NY, UK

products:

OEM vacuum pumps/compressors, laboratory pumps



Creare Inc. - P.O. Box 71, Hanover, NH 03755, <u>USA</u> Products:

Miniature Turbomolecular and Turbo/Drag Pumps

Under funding from NASA, Creare has developed the world's smallest turbomolecular battery-powered analytical equipment such as mass spectrometers.



EMMCO Electo-Mechanical Manufacturing Co., Inc. - 1351 S. Cleveland-Massillon I company profile:


Electro-Mechanical Manufacturing is a manufacturer of quality air pumps serving the in meeting the special needs of any company. We can fill your order, no matter how large with a minimum of hassle is our trademark. We can supply a pump that meets your needs.



**FUERGUT GERMANY** - Lärchenweg 12, 88459 Tannheim, <u>Germany</u> Erich Fürgut, Products:


Our miniature-gas-pumps operate oil-free according to the rotary vane compressor principle. The diaphragm pump made of special carbon with long service life up to 10000 operating hours (depending on the load). Replacement of time without special equipment.

The pump housing is made from high-grade steel 1.4305 (if you wish: 1.4301), or made in Ryton for diaphragm pur



Gast Manufacturing, Inc - P.O. Box 97, Benton Harbor, MI 49023-0097, USA Tel. +1 269.926.6171, Fax +1 269.925.8288 products:

Gast Manufacturing Inc., adds a new oil-less miniature diaphragm pump - the 3D Serie miniature compressors and vacuum pumps. The new pump has maximum pressure/va or 11.3" Hg (631 mbar) with open airflow of 1.18 lpm. The 3D series has a chemical res assembly and mounts in any plane. Various DC voltage options are available in iron or applications include air sampling, gas detection, blood pressure monitors, respirator me analyzers, vacuum pick and place, plus many more uses.



Namiki Precision Jewel Co., Ltd. - 8-22, Shinden 3 chome Adachi-ku, Tokyo, 123-851 products:

micro diaphragm vacuum pumps

Air pump series 8018Gt: flow rate 2000 ml/mn, suction presssure -75...0 kPa company profile: In the early 1970's and 1980's, Namiki's precision diamond processing semiconductors, coatings, and micron precision work on mechanical components. Tod coreless motors and planetary gearheads, powerful rare earth magnets, micro fans, op medical devices and more.



OKEN., Ltd. - 706 Yanokuchi, Inagi, Tokyo 206-0812 Japan products: mini vacuum pumps


company profile:

OKEN SEIKO was established as manufacturers of various precision devices for marin Since then, OKEN SEIKO has been engaged in the development and manufacture of ve related drive mechanisms for home automation, micro air and liquid pumps for medical



PIAB AB - P.O. Box 4501, 183 04 TÄBY, Sweden products:

The P2010 is a self-contained multi-stage ejector pump using motive air at 1.8 bar. It is 10 mm wide, 27.5 mm high and 50 mm long. Weighing 15 grams, it can be mounte



Rietschle Thomas - 7222 Parkway Drive, Hanover, MD 21076, USA products:

Miniature Diaphragm Pumps:

Series 3013 miniature diaphragm pumps offer long maintenance-free life, quiet operati-

pressure or vacuum. Six models are available to meet various needs, especially in instrumentation and air sampling magnet or extra-long-life brushless DC motors are offered, in 3.0, 4.5 or 12.0 volt ratings. The polycarbonate pump seals, are engineered for durability and corrosion resistance. The largest Series 3013 pumps measure just 1.71 in. 1.13 oz. (32 g). Maximum air flow is rated at 1.3 ml/min. Maximum pressure is rated at 6.5 psi (450 mbar), with maximum?




SCHWARZER PRÄZISION MEMBRAN-U. FLÜGELZELLENPUMPEN - Steeler Stras: Products:

Druck- und Vakuumpumpen für die Bereiche Labor- und Medizintechnik, Mess-, Steue Konsumgüterindustrie.

Miniaturvakuumpumpen und Kompressoren für Luft/Gase (Exzenter-Membranpumpen Linear-Membranpumpen, Rotations-Membranpumpen, Miniatur-Flügelzellenpumpen) typische Anwendungen:

Labor- und Medizintechnik, Haushaltsgeräte, medizinische Absaugung, Aerosolzerstäubung, Erzeugung von Prime Gase, stationäre Gasanalysegeräte, Mess-, Steuer u. Regeltechnik, Elektrolytumwälzung, Endoskopie, Pick&Place Blutdruckmessung, Analysegeräte, tragbare Gasmessgeräte, Pipettiergeräte, Wasserkühlung von CPUs, Laser company profile:

Seit mehr als 30 Jahren steht Schwarzer Präzision für Kompetenz und Erfahrung bei der Entwicklung und Produkti




Sensidyne, Inc. - 16333 Bay Vista Drive, Clearwater, Florida 33760, <u>USA</u> products:

Sensidyne micro/miniature diaphragm air pumps are tailor made for use in many Origir applications including medical, automotive, gas sampling, gas analysis and other indus can also customize a pump to meet the needs of your special application. company profile:

Sensidyne operates from a 25,000-sf manufacturing and office facility in Clearwater, FI consists of four business groups: Health & Safety, Engineered Systems, OEM Micro Ai


The OEM Micro Air Pump Group designs, manufactures and sells miniature precision diaphragm air pumps directly Sensidyne employs 100 people in the Clearwater operation.

Sensidyne has achieved ISO 9001, EN46001 and ISO 13485 status. Sensidyne is a FDA registered facility.



thinXXS GmbH - Amerikastrasse 21, 66482 Zweibrücken, <u>Germany</u> Products:

piezo-actuated micro diaphragm pumps (membrane pumps) with passive check valves Max. flow rate 6 ml/min, Weight 3grams, the flow rate of the pump is controlled by the Main features: self-priming, tolerant of gas bubbles, pumps liquids and gases alike, ad company profile: develops microstructured components and systems



Techno Takatsuki Co., Ltd. - <u>Japan</u> Products:

More than 5 million HIBLOW pumps have now been produced and found widespread a medical field for scientific and chemical instruments, in industrial equipment, for aquari purpose, HIBLOW air pumps employ electromagnetically operated diaphragms, which compact device at low cost, and besides, it offers simple maintenance and requires mi requirements in the market today, low noise operation and high durability are two more products.

company profile:


"HIBLOW", our range of original Techno Takatsuki electromagnetic diaphragm air pumps, was created in 1976 as development.

Purpose of company: Production of electro-motors, production and sales of air pumps, Employees: 240

vacuum-guide.com - micro pumps mini pumps miniature pumps minipumps micropumps ... Page 4 of 4

Site Map www.vacuum-guide.com

# Olfachment#3 10602236













HOME | **PRODUCTS** | INFO | CONTACT | OPPORTUNITIES

Search

your email here

Jon Newsletter

Demonstration Educational Materials

ä.

- PRODUCTS - Fuel Cell Stacks - Fuel Cell Stacks 0W < 2W

- Miniature Pump

### **Miniature Pump**

Fuel Cell Stacks
Fuel Cell Systems
Hydrogen Equipment
Merchandise
Other Power
Solar Hydrogen Products
Stack Components
Testing
New Products
Australian Distribution

Item Number	59:
Unit Price	\$1



Additional Information: Minature Pump, works well as a load for fuel cells producing less one volt. Pumps 1 pint per minute with a 12" high flow.

## TECHNICAL SPECIFICATIONS

2.5 inches high 1 inch square base 1 pint per minute 12# high flow

home site map copyright 1999 - 2005

10602236



Home > Search Results: Pumps: Miniature > Company Profile

> Tell your suppliers you found them on ThomasNet

Printer friendly version

Company Profile

# MRM International ➤ Contact ☑

3905 Whitney Pl. Duluth, GA 30096

Phone: 770-476-4040 | Fax: 770-623-1465

http://www.mrm-international.com

### **Pumps: Miniature Information**

Miniature Pumps & Compressors. Vacuum & Medical Pumps, Miniature Configurations. Diaphragm Pumps. Flowrates To 70 L/Min. Pressure To 24 Psi & Vacuum To 24 Inches Mercury. Rotary Vane Pumps To 0.8 L/Min., 1 Psi Pressure & 1.9 In Hg Vacuum

http://www.schwarzer-pumps.com

# **Company Information**

Specialize In Miniature Compressors & Vacuum Pumps Used In The Analytical Industries, Medical Industry, Laboratory & Household Products. Diaphragm Pumps Can Be Supplied With Flowrates Up To 70 L/Min., Pressure Up To 24 Psi & Vacuum To 24 Inches Of Mercury. An Extremely Small Rotary Vane Pump Can Reach Up To 0.8 L/Min., 1 Psi Pressure & 1.9 In Hg Vacuum

**Employees:** 

50-99

**Activity:** 

Manufacturer

Year Company Founded: 1972

**Export Markets:** 

Latin America/Caribbean, Western Europe, Africa, Middle East, Asia, Australia, Europe,

Canada, Mexico

#### Contact MRM International

#### Send ThomasNet your feedback

If you have different information about this company or were unable to contact them let us know.

### Back to top

Resources | Advertising & Web Services | About ThomasNet | Browse Companies by Name | Thomas Global Register FAQs | Careers | Submit Your Site | Provide Feedback | Terms and Conditions | Privacy Policy | Link to

**ThomasNet** 

Home | Browse Categories | CAD Drawings | Product News | Promote Your Business | Contact ThomasNet

Chopper Contest Update

Login to MyThomas | Sign-Up for MyThomas

© 2005 Thomas Publishing Company. All rights reserved.